

GS10 - Non-Structural Seismic Bracing




Our Seismic Bracing Systems are designed and engineered to brace suspended non-structural equipment and components to minimize damage from an earthquake or seismic event.

FEATURES & BENEFITS

- Complete pre-engineered systems - full range of product & engineering services available to ensure the most efficient, cost effective bracing solutions
- No field swaging - consistent quality and no tools required to install
- Colour coded kits - easy field identification/inspection verification
- Adaptable kits - suitable for use in a variety of configurations
- Comprehensive approvals and certifications - in accordance with AS1170.4, NZS1170.5 and NZS4219.




INSTALLATION GUIDELINES



Images shown are examples of a typical installation. Specifics can vary between installations.


1. Attach loose brackets to non-structural component
2. Secure end fixing to structure
3. Insert wire rope through one channel of the Gripple Lockable Fastener
4. Thread the wire rope through the hole of the seismic bracket
5. Thread wire rope back through the Gripple Lockable Fastener and hand tighten to remove all slack
6. Hand-tighten the locking bolts until secure

SPECIFICATION & PRODUCT CODE BUILDER



GS10	-	3E4		-	S4	
Wire Size:	Cable Length (m):	End Fitting:	End Fitting Size (mm):	Loose Bracket:	Loose Bracket Hole Size	
GS10 = 2mm	3, 6, or 9 as standard. Custom lengths available.	E = 45° Eyelet S = Standard Single Bracket	4 = 10 mm 5 = 12 mm 6 = 16 mm 8 = 20 mm 10 = 25 mm	S = Standard Bracket R = Retrofit Bracket	4 = 10 mm 5 = 12 mm 6 = 16 mm 8 = 20 mm 10 = 25 mm	

SYSTEM COMPONENTS



PRODUCT INFORMATION

Wire Size: 2mm pre-stretched wire rope
Load Rating: GS10: 135 kg
Supplied: As ready to install kits including a Gripple Lockable Fastener, a length of pre-stretched wire rope (3 m, 6 m, or 9 m), end fitting and loose bracket as specified and a colour coded identification tag
Standards & Compliance: AS1170.4, NZS1170.5, NZS4219, SMACNA, OSHPD, ANSI/ASHRAE171, UL NEBS & many more

GA-PI-GS10-V1.0

www.grippleaustralia.com.au

Polyplas International are continuously working to develop and improve our product range. We reserve the right to change specifications, etc. without notice.



Polyplas International Pty Ltd, 3 Corporate Avenue, Rowville, VIC 3178
 Tel: 03 9754 0333 Fax: 03 9755 6071 Email: info@gripple.net.au